

SPECIALTY EMULSIONS

TRADE NAME	INCI NAME	APPEARANCE	PH
SPI - 4004	Phenyltrimethicone [and] Dimethicone [and] Laureth-7	Milky White Liquid	6.0 - 8.0
SPI - 4007	Isododecane [and] Dimethicone/Vinyl Dimethicone Crosspolymer [and] Laureth-7	Milky White Liquid	6.0 - 8.0
SPI - 4009	Dimethicone [and] Laureth-4 [and] Laureth-23	Milky White Liquid	6.0 - 8.0
SPI - 7018	Dimethicone/Vinyl Dimethicone Crosspolymer [and] C12-14 sec-Pareth-7	Milky White Liquid	4.0 - 8.0
SPI - 7039	Amodimethicone [and] Trideceth-12 [and] Cetrimonium Chloride	Milky White Liquid	6.0 - 8.0
SPI - 7042	Amodimethicone [and] Trideceth-10 [and] Cetrimonium Chloride	Milky White Liquid	6.0 - 8.0
SPI - 7069	Amodimethicone [and] Cetrimonium Chloride [and] Trideceth-3 [and] Trideceth-15	Milky White Liquid	5.5 - 8.0

SILICONE GUM AND BLENDS

TRADE NAME	INCI NAME	VISCOSITY [CST]	GUM CONTENT [%]
SPI - CK100	Dimethiconol	40 - 150	≈100
SPI - 5089	Cyclopentasiloxane [and] Dimethicone	3,000 - 7,000	≈15
SPI - 5401	Cyclopentasiloxane [and] Cyclotetrasiloxane [and] Dimethiconol	5,000 - 6,000	≈15
SPI - 5403B	Dimethicone [and] Dimethiconol	1,000 - 7,000	≈14
SPI - 5415	Dimethicone [and] Isododecane [and] Dimethiconol	4,000 - 6,000	≈15
SPI - 5501	Cyclopentasiloxane [and] Dimethiconol	5,000 - 7,000	≈15

EMULSIFIERS

TRADE NAME	INCI NAME	VISCOSITY [CST]	SPECIFIC GRAVITY (25°C)	HLB	REFRACTIVE INDEX (25°C)
SPI - 3543	PEG-11 Methyl Ether Dimethicone	100 - 160	1.060	12.0	1.450
SPI - 3527	PEG/PPG-20/20 Dimethicone	900 - 3,500	1.030	5.0	1.455
SPI - 3510	PEG/PPG-18/18 Dimethicone	1,200 - 2,000	1.035	4.5	1.411
SPI - 3511	PEG-12 Dimethicone	250 - 1,050	1.070	13.0	1.454
SPI - 3513	PEG-10 Dimethicone	450 - 1,100	1.030	4.5	1.420
SPI - 3531	Dimethicone PEG-7 Isostearate	100 - 350	0.990	7.0	1.460
SPI - 4018	PEG-8 Dimethicone	100 - 600	1.030	7.5	1.454
SPI - 7090	Cetyl PEG/PPG-10/1 Dimethicone	900 - 2,300	0.930	4.0	1.443
SPI - 7092 EL	Dimethicone [and] Dimethicone/PEG-10/15 Crosspolymer	30,000 - 300,000	0.970	3.4	1.403
SPI - 7225	Cyclopentasiloxane PEG/PPG 18/18 Dimethicone	200 - 6,000	0.956	2.0	1.443
SPI - 9311	Lauryl Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone	2,000 - 7,000	0.950	< 3	1.427
SPI - 9320	Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone	2,000 - 10,000	0.982	< 5	1.412
SPI - 9340	Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone	2,000 - 7,000	0.976	< 3	1.408
SPI - 9518	Lauryl PEG-8 Dimethicone	600 - 1,100	0.950	3.0	1.440
SPI - ISL	Sodium Isostearyl Lactylate	Yellow Viscous Liquid	/	18.0	/
SPI - ISL85	Sodium Isostearyl Lactylate [and] Propanediol	Yellow Viscous Liquid	/	18.0	/

RHEOLOGY AGENTS

TRADE NAME	INCI NAME	APPEARNCE	PH
SPI - 305M	Polyacrylamide & C13-14 Isoparffin & Laureth-7	Fluid Emulsion	5.5 - 7.5 [2%]
SPI - 311M	Acrylates Copolymer	White, Milky Liquid	2.2 - 3.8
SPI - 340M	Sodium Polyacryloyl Dimethyl Taurate [and] Dicaprylyl Ether [and] Polyglyceryl 10 Dilaurate	Fluid Emulsion	5.0 - 8.0 [2%]
SPI - 341M	Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer [and] Hydrogenated Polydecene [and] Polysorbate 80	Fluid Emulsion	5.0 - 7.0 [3%]
SPI - 342M	Polyquaternium-73 [and] Dicaprylyl Ether [and] Polyglyceryl-10 Dilaurate	Fluid Emulsion	5.0 - 8.0 [2%]
SPI - 345M	Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer [and] Isohexadecane [and] Polysorbate 80	Fluid Emulsion	5.0 - 8.0 [2%]
SPI - 950	Carbomer	White Powder	2.0 - 3.0
SPI - 980	Carbomer	White Powder	2.7 - 3.5 [0.5%]
SPI - FS200	Silica	White Powder	3.7 - 4.7 [4%]
SPI - Soy Lecithin 100	Lecithin	Dark Liquid	/
SPI - Stearic Acid	Stearic Acid	White Flake	/
SPI - Xan	Xanthan Gum	White/Off White Powder	6.0 - 8.0 [1%]

COSMETIC FLUID SOLVENTS

TRADE NAME	INCI NAME	APPEARANCE	ACTIVITY [%]	BOILING POINT [°C]
SPI - 071	Methyl Perfluorobutyl Ether [and] Methyl Perfluoroisobutyl Ether	Clear Colorless Fluid	0.0 - 1.0	59 - 63
SPI - CCT	Caprylic/Capric Triglyceride	Clear Colorless Fluid	>99.5	>250
SPI - G99	Glycerin	Clear Colorless Fluid	>99.7	290
SPI - SDA 40B	Alcohol [and] Water [and] t-butyl Alcohol	Clear Colorless Fluid	>99.5	78.3 - 80
SPI - OA200	Alcohol	Clear Colorless Fluid	0.0 - 5.0	77 - 78

PRESERVATIVES & CHELATING AGENTS

TRADE NAME	INCI NAME	APPEARANCE	PH
SPI - HexG	Hexylene Glycol	Clear Colorless Liquid	5.5 - 7.0
SPI - Phen	Phenoxyethanol	Clear Colorless Liquid	5.5 - 7.0
SPI - Silguard 10	Polylysine	White or Slight Yellow Powder	5.0 - 7.0
SPI - Silguard 30	Lauroyl Arginate Ethyl [and] Caprylyl glycol [and] Glycerin	Almost Colorless Transparent Liquid	3.0 - 7.0 [1%]
SPI - Silguard 40	Ethyl Lauroyl Arginate HCl [and] Glycerin Portulaca Oleracea Extract [and] Cnidium Monnieri Fruit Extract [and] Prunella Vulgaris Extract [and] Phyllanthus Emblica Extract	Amber Brown Liquid	3.0 - 7.0
SPI - SGC	Sodium Gluconate	White Powder	6.5 - 8.5 [1%]
SPI - TGD30	Tetrasodium Glutamate Diacetate [and] Water [and] Sodium Glycolate [and] Sodium Chloride	Yellow Liquid	10.0 - 12.0 [1%]

ACTIVES

TRADE NAME	INCI NAME	APPEARANCE	ACTIVITY [%]	PH	MOLECULAR WEIGHT, DA
SPI - Bioallgen L	Water [and] Glycerin [and] 1,2-Hexanediol [and] sh-Polypeptide-123	Clear to Light Yellow Liquid	≥90.0	5.0-7.0	/
SPI - Bioallgen P	sh-Polypeptide-123	Powder	≥90.0	4.0-8.0 [1%]	/
SPI - Biotin98	Biotin	Powder	≥97.5	/	/
SPI - CBD Distillate	Cannabidiol [and] Beta-Caryophyllene	Gold to Brown Crystal	≥80.0	/	/
SPI - CBD Isolate	Cannabidiol	Powder	≥99.0	/	/
SPI - DPHP	Dipalmitoyl Hydroxyproline	Powder	≥85.0	/	/
SPI - FA99	Ferulic Acid	Crystal	≥99.0	/	/
SPI - D-Gluco HCl 80	Glucosamine Hydrochloride	Powder	≥98.0	3.5-5.0	/
SPI - LA88	Lactic Acid	Clear to Hazy Liquid	≥88.0	<2	/
SPI - Melatonin	Melatonin	Powder	≥98.5	/	/
SPI - Prosource HA-HMW	Sodium Hyaluronate	Powder	≥99.0	6.0-7.5	1.5-1.8
SPI - Prosource HA LMW	Sodium Hyaluronate	Powder	≥99.0	6.0-7.5	<0.1
SPI - Prosource HA SMW	Sodium Hyaluronate	Powder	≥99.0	6.0-7.5	0.80-1.5
SPI - Prosource HA VHMW	Sodium Hyaluronate	Powder	≥99.0	6.0-7.5	>1.8
SPI - Prosource HA VLMW	Sodium Hyaluronate	Powder	≥99.0	6.0-7.5	<0.01
SPI - Prosource HA 1%	Sodium Hyaluronate	Clear Solution	1	5.0-8.0	1.5-1.8
SPI - Prosource HA 1% ECO	Sodium Hyaluronate	Clear Solution	1	5.0-8.0	1.5-1.8
SPI - Prosource HA OS	Limnanthes Alba [Meadowfoam] Seed Oil [and] Hydrogenated Castor Oil [and] Sodium Hyaluronate [and] Tocopherol	White Oily Liquid	30	/	<0.01
SPI - Prosource Hydromoisit	Water [and] Polyglutamic Acid	Clear Solution	2	6.0-7.0	>0.7
SPI - Quercetin	Quercetin	Yellow Powder	≥95.0	/	/
SPI - Resveratrol 98	Resveratrol	Powder	≥98.0	/	/
SPI - SS	Sodium Silicate	Pale Yellow Liquid	35	11-12 [1%]	/
SPI - TA95	Tetrahexadecyl Ascorbate	Pale Yellow Liquid	≥95.0	/	/

WAXES & FILM FORMERS

TRADE NAME	INCI NAME	VISCOSITY [CST]	MELTING POINT [°C]
SPI - 6910	Isododecane [and] Acrylates/Dimethicone Copolymer	100 - 1000 [25°C]	/
SPI - 6920	Isododecane [and] Acrylates/Dimethicone Copolymer	100 - 1000 [25°C]	/
SPI - 9001WAX	Cetyl Dimethicone	15 - 35 [25°C]	18
SPI - 9020WAX	Stearyl Dimethicone	25 - 50 [40°C]	32
SPI - 9022	Stearyl Dimethicone	100 - 350 [40°C]	30-32
SPI - PVA-BP05	Polyvinyl Alcohol	/	180 - 230
SPI - PVPK30	PVP	/	130 - 150

For product information and/or samples, please e-mail your contact information and request to the address below and we will be happy to process it accordingly.
More products available upon request!

info@siliconesplus.com

326 Exchange Drive • Arlington, TX 76011

(817) 469-7777 • SILICONESPLUS.COM

REV 4-23



PRODUCT LIST

SUPPLIERS OF SILICONES, SURFACTANTS AND OTHER CHEMICAL SPECIALTIES



DIMETHYL SILICONE FLUIDS

TRADE NAME	INCI NAME	VISCOSITY [CST]	SPECIFIC GRAVITY [25°C]	FLASH POINT [°C]	REFRACTIVE INDEX [25°C]
SPI - 5	Dimethicone	5	0.915	>90	1.396
SPI - 6	Dimethicone	6	0.925	>150	1.397
SPI - 10	Dimethicone	10	0.935	>160	1.399
SPI - 20	Dimethicone	20	0.950	>240	1.400
SPI - 50	Dimethicone	50	0.960	>300	1.402
SPI - 100	Dimethicone	100	0.965	>300	1.403
SPI - 200	Dimethicone	200	0.970	>315	1.403
SPI - 350	Dimethicone	350	0.970	>315	1.403
SPI - 500	Dimethicone	500	0.970	>315	1.403
SPI - 1,000	Dimethicone	1,000	0.970	>315	1.403
SPI - 5,000	Dimethicone	5,000	0.975	>315	1.403
SPI - 10,000	Dimethicone	10,000	0.975	>315	1.403
SPI - 12,500	Dimethicone	12,500	0.975	>315	1.403
SPI - 30,000	Dimethicone	30,000	0.976	>315	1.403
SPI - 60,000	Dimethicone	60,000	0.976	>315	1.403
SPI - 500,000	Dimethicone	500,000	0.976	>315	1.403
SPI - 1,000,000	Dimethicone	1,000,000	0.978	>315	1.403

VOLATILE FLUIDS

TRADE NAME	INCI NAME	VISCOSITY [CST]	SPECIFIC GRAVITY [25°C]	FLASH POINT [°C]	REFRACTIVE INDEX [25°C]
SPI - 0.65	Disiloxane	0.65	0.760	-3	1.375
SPI - 1	Trisiloxane	1	0.818	37	1.382
SPI - 1.5	Dimethicone [and] Trisiloxane	1.5	0.850	64	1.387
SPI - 2	Dimethicone	2	0.872	75	1.390
SPI - D4	Cyclotetrasiloxane	2.4	0.953	54	1.394
SPI - D5	Cyclopentasiloxane	4	0.955	72	1.397
SPI - D5A	C13-15 Alkane [and] Isododecane [and] Caprylyl Methicone	3	0.850	62	1.425
SPI - D6	Cyclohexasiloxane	7	0.962	93	1.402
SPI - 5054	Cyclotetrasiloxane [and] Cyclopentasiloxane	2.7	0.950	58	1.394
SPI - 5056	Cyclopentasiloxane [and] Cyclohexasiloxane	5	0.958	74	1.396
SPI - 1976	Caprylyl Methicone	3	0.840	110	1.413
SPI - MTM	Methyl Trimethicone	2	0.850	64	1.386

PHENYL SILICONE FLUIDS

TRADE NAME	INCI NAME	VISCOSITY [CST]	SPECIFIC GRAVITY [25°C]	FLASH POINT [°C]	REFRACTIVE INDEX [25°C]
SPI - PTM	Phenyl Trimethicone	25	0.98	>101	1.46
SPI - DP400	Diphenyl Dimethicone	400	1.07	>300	1.505

AMODIMETHICONE FLUIDS

TRADE NAME	INCI NAME	APPEARANCE	VISCOSITY	AMINE NUMBER
SPI - 2001	Amodimethicone	Clear to Slightly Hazy	150	45
SPI - 2003	Amodimethicone	Clear to Slightly Hazy	50	80
SPI - 2005	Amodimethicone	Clear to Slightly Hazy	150	25

SILICONE ANTIFOAM FLUIDS

TRADE NAME	APPEARANCE	ACTIVE [%]	GENERAL USE
SPI - AF 10	Milky White Liquid	10	Industrial; Food Grade
SPI - AF 30	Milky White Liquid	30	Industrial; Food Grade
SPI - DF 103	Opaque Liquid	100	Industrial; Food Grade

CONDITIONING AGENTS

TRADE NAME	INCI NAME	APPEARANCE	ACTIVITY [%]	PH
SPI - BTMS	Cetearyl Alcohol [and] Behentrimonium Methosulfate	White Flake	>20	5.0 - 7.0
SPI - BT85	Behentrimonium Chloride	White Flake	80	6.0 - 8.0
SPI - DLPanthenol	Panthenol	White Powder	>99	9.0 - 10.5 [5%]
SPI - FS Conc	Quaternium 53	Hazy Liquid	90	5.0 - 6.5 [10%]
SPI - MGN	Magnesium Gluconate	White Powder	>98	6.0 - 7.8
SPI - PQ6	Polyquaternium 6	Clear Light Yellow Liquid	40	5.5 - 7.0
SPI - PQ7	Polyquaternium 7	Clear Colorless Liquid	10	6.5 - 7.5
SPI - PQ10HV	Polyquaternium 10	Light Yellowish Powder	>91	5.0 - 7.0 [2%]
SPI - PQ10HVC	Polyquaternium 10	Light Yellowish Powder	>91	5.0 - 7.0 [2%]
SPI - PQ10LV	Polyquaternium 10	Light Yellowish Powder	>91	5.0 - 7.0 [2%]
SPI - PQ11	Polyquaternium 11	Clear Light Yellow Liquid	80	5.0 - 7.0
SPI - PQ51	Polyquaternium 51	Colorless Transparent Liquid	5	4.0 - 6.0 [1%]
SPI - PQ80	Quaternium 80	Pale Liquid, Clear	50	7.0 - 8.5
SPI - 300CT	Cetrimonium Chloride	Clear Liquid	30	5.0 - 8.0
SPI - 380ST	Steartrimonium Chloride	White Flake	65	3.5 - 6.5 [1%]
SPI - 7006	Guar Hydroxypropyl Trimonium Chloride	Light Yellowish Powder	92	6.0 - 7.0 [1%]
SPI - 7010	Guar Hydroxypropyl Trimonium Chloride	Light Yellowish Powder	92	9.0 - 11.0 [1%]
SPI - 7010LV	Guar Hydroxypropyl Trimonium Chloride	Light Yellowish Powder	92	9.0 - 11.0 [1%]
SPI - 7015	Bis-Cetearyl Amodimethicone	Translucent, Pale Yellow	100	4.5 - 7.0

EXTRACT AND OIL ACTIVES (ORGANIC OPTIONS AVAILABLE UPON REQUEST)

TRADE NAME	INCI NAME	APPEARANCE
SPI - Acai Berry Extract	Euterpe Oleracea Fruit Extract	Reddish Brown Fine Powder
SPI - Arnica Montana Flower Extract	Arnica Montana Flower Extract	Yellowish Brown Fine Powder
SPI - Bilberry Extract	Vaccinium Myrtillus Fruit Extract	Purple Red Fine Powder
SPI - Black Oats Extract	Secale Cereale Seed Extract	Yellowish Brown Fine Powder
SPI - BSO	Brassica Oleracea Italica [Broccoli] Seed Oil	Light Golden Liquid
SPI - Bearberry Leaf Extract	Arctostaphylos Uva-Ursi Leaf Extract	Yellowish Brown Fine Powder
SPI - Camu Camu Extract	Myrciaria Dubia [Camu Camu] Fruit Extract	Light Red Fine Powder
SPI - Chaga Extract	Inonotus Obliqua [Mushroom] Extract	Reddish Brown Fine Powder
SPI - Chamomille Extract	Chamomilla Recutita [Matricaria] Flower Extract	Yellowish Brown Fine Powder
SPI - Coconut Oil	Cocos Nucifera [Coconut] Oil	Clear to Amber Liquid [40°C]
SPI - Coffee Seed Extract	Coffea Arabica [Coffee] Seed Extract	Yellowish Brown Fine Powder
SPI - Cucumber Extract	Cucumis Sativus [Cucumber] Fruit Extract	Yellowish Brown Fine Powder
SPI - Echinacea Purpurea Extract	Echinacea Purpurea Extract	Brownish Yellow Powder
SPI - Grape Seed Extract	Vitis Vinifera [Grape] Seed Extract	Brown Red Powder
SPI - Green Coffee Bean Extract	Coffea Arabica [Coffee] Bean Extract	Yellow Brownish Fine Powder
SPI - Green Tea Extract 98	Camellia Sinensis [Green Tea] Leaf Extract	Brown Powder
SPI - Honey Extract	Honey [and] Maltodextrin	Light Yellow Brown Fine Powder
SPI - Horse Chestnut Extract	Aesculus Hippocastanum [Horse Chestnut] Seed Extract	Yellowish Brown Fine Powder
SPI - HS90	Citrus Aurantium [Orange] Extract	Yellowish Brown Fine Powder
SPI - Lavandin Oil	Lavandula Hybrida Oil	Colorless to Yellow Liquid
SPI - Lavender Essential Oil	Lavandula Angustifolia [Lavender] Oil	Colorless to Yellow Liquid
SPI - Lemon Extract	Citrus Limon [Lemon] Fruit Extract	Yellowish Brown Fine Powder
SPI - Lingonberry Extract	Vaccinium Vitis-Idaea Fruit Extract	Pink Fine Powder
SPI - Licorice Extract	Glycyrrhiza Glabra [Licorice] Root Extract	Brown Powder
SPI - Maca Extract	Lepidium Meyenii [Maca] Root Extract	Yellowish Brown Fine Powder
SPI - Milk Thistle Extract	Silybum Marianum [Milk Thistle] Extract	Yellowish Brown Powder
SPI - Mulberry Extract OS	Morus Alba Leaf Extract	Yellowish Brown Powder
SPI - Orange Oil	Citrus Aurantium Dulcis [Orange] Peel Oil	Yellow Orange Liquid
SPI - Panax Ginseng Extract	Panax Ginseng Extract	Yellowish Brown Fine Powder
SPI - Pea Extract	Pisum Sativum [Pea] Extract	Yellowish Brown Powder
SPI - Red Algae Extract	Porphyra Umbilicalis Extract	White to Off White Powder
SPI - Red Algae Extract WS	Porphyra Umbilicalis Extract	White to Off White Powder
SPI - Rose Hip Extract	Rosa Canina Fruit Extract	Pink Fine Powder
SPI - Sea Buckthorn Extract	Hippophae Rhamnoides [Sea Buckthorn] Fruit Extract	Yellowish Brown Fine Powder
SPI - SpilanthesIO	Acemella Oleracea Flower Extract	Yellowish Brown Fine Powder
SPI - Spearmint Oil-C	Mentha Spicata	Colorless to Yellow Liquid
SPI - St. John's Wort Extract	Hypericum Perforatum [St. John's Wort] Flower Extract	Dark Brown Powder
SPI - Turmeric Extract OS	Curcuma Longa [Turmeric] Rhizome Extract	Yellowish Brown Fine Powder
SPI - Vitamin E USP	Tocopheryl Acetate	Pale Yellow Liquid

SURFACTANTS & PEARLIZING AGENTS

TRADE NAME	INCI NAME	APPEARANCE	PH
CP - LAPB	Lauramidopropyl Betaine	Clear Liquid	7.0 - 9.0 [10%]
SPI - AOS-40 BZ	Sodium C14-16 Olefin Sulfonate	Clear, Light Yellow Liquid	5.5 - 6.5 [10%]
SPI - AOS-40 P	Sodium C14-16 Olefin Sulfonate	Clear, Light Yellow Liquid	5.0 - 9.0 [10%]
SPI - CAPB	Cocamidopropyl Betaine	Clear, Light Yellow Liquid	6.0 - 7.0 [10%]
SPI - CG	Coco-Glucoside	Cloudy, Viscous, Aqueous Solution	11.0 - 12.0
SPI - CHS	Cocamidopropyl Hydroxysultaine	Clear Liquid	7.0 - 9.0 [10%]
SPI - CMEA	Cocamide MEA	Waxy, Pale Yellow Flake	8.0 -10.5 [1%]
SPI - CMG	Caprylyl Glucoside [and] Myristyl Glucoside	Yellowish Viscous Liquid	11.0 - 12.0
SPI - DG	Decyl Glucoside	Yellowish Liquid	11.0 - 12.0
SPI - DIPA	Cocamide DIPA	Clear Yellow Liquid	9.0 - 11.0 [1%]
SPI - EGDS	Glycol Distearate	White Flake	/
SPI - L6	Laureth-6	Clear to Hazy Liquid	6.0 - 8.0 [1%]
SPI - LG	Lauryl Glucoside	Clear to Hazy Liquid	11.0 - 12.0 [10%]
SPI - Liquid Pearl 1	Sodium C14-16 Olefin Sulfonate [and] Glycol Distearate [and] Cocamidopropyl Hydroxysultaine	Opaque Pearl Liquid	5.5 - 7.0 [10%]
SPI - Liquid Pearl 2	Sodium C14-16 Olefin Sulfonate [and] Glycol Stearate [and] Cocamidopropyl Betaine	Opaque Pearl Liquid	5.5 - 7.0 [10%]
SPI - PC40	Potassium Cocoate	Clear Light Liquid	9.5 - 10.5 [1%]
SPI - PS37	Potassium Cocoate [and] Potassium Tallate	Clear Light Amber Liquid	9.5 - 10.5 [1%]
SPI - SC1	Sodium Laureth Sulfate [and] Cocamidopropyl Betaine [and] Cocamide DIPA [and] Sodium Chloride	Clear, Light Yellow Liquid	7.0 - 10.0 [10%]
SPI - SC2	Sodium Alpha Olefin Sulfate [and] Cocamidopropyl Betaine [and] Cocamide DIPA [and] Sodium Chloride	Clear, Light Yellow Liquid	7.0 - 10.0 [10%]
SPI - SC3	Sodium C14-16 Olefin Sulfonate [and] Cocamidopropyl Hydroxysultaine [and] Cocamide MIPA	Viscous, Light Yellow Liquid	9.0 - 11.0 [10%]
SPI - Soft 30	Sodium Cocoyl Glycinate	Pale Yellow Liquid	8.0 - 10.0
SPI - Soft 30S	Sodium Cocoyl Glycinate	Pale Yellow Liquid	10.0 - 11.0
SPI - Soft DCG	Disodium Cocoyl Glutamate	Colorless to Pale Yellow Liquid	10.0 - 12.0
SPI - Soft GC	PEG-7 Glyceryl Cocoate	Colorless to Pale Yellow Liquid	5.0 - 8.0
SPI - Soft LS30	Sodium Lauroyl Sarconsinate	Clear Liquid	7.5 - 8.5 [10%]
SPI - Soft OG	Disodium Oleoyl Glutamate	Yellow Liquid	10.0 - 12.0
SPI - Soft PCG	Potassium Cocoyl Glycinate	Colorless to Pale Yellow Liquid	8.5 - 10.5 [10%]
SPI - Soft SLG	Sodium Lauroyl Glutamate	Colorless to Pale Yellow Liquid	10.0 - 12.0
SPI - SSA	Sodium Sulfate	White Granule	9.0 - 10.0

SPECIALTY GEL BLENDS

TRADE NAME	INCI NAME	VISCOSITY [CST]	SOLIDS CONTENT [%]
SPI - 938G	Cyclopentasiloxane [and] Dimethicone/Vinyl Dimethicone Crosspolymer	80,000 - 250,000	≈ 5.5
SPI - 1222	Cyclopentasiloxane [and] Dimethicone/Vinyl Dimethicone Crosspolymer	200,000 - 700,000	≈ 5
SPI - 5025	Cyclopentasiloxane [and] C30-45 Alkyl Cetearyl Dimethicone Crosspolymer	130,000 - 500,000	≈ 12.5
SPI - 5027	Cyclopentasiloxane [and] Dimethicone [and] Dimethicone Crosspolymer	1,100,000 - 1,500,000	≈ 13
SPI - 5601	Dimethicone/Vinyl Dimethicone Crosspolymer [and] C12-14 Pareth-12	5000 - 8,000	≈ 65
SPI - 5660	Cyclopentasiloxane [and] Dimethicone Crosspolymer	1,500,000 - 2,500,000	≈ 15.5
SPI - 5712	Cyclopentasiloxane [and] Dimethicone Crosspolymer	250,000 - 580,000	≈ 12
SPI - 5815	Cyclopentasiloxane [and] Acrylates/Dimethicone Copolymer	100 - 500	≈ 30
SPI - 5816	Dimethicone [and] Acrylates/Dimethicone Copolymer	15 - 45	≈ 30
SPI - 6039	Dimethicone [and] Dimethicone Crosspolymer	100,000 - 400,000	≈ 17
SPI - 6041	Dimethicone [and] Dimethicone Crosspolymer	300,000 - 500,000	≈ 12
SPI - 6110	Cyclopentasiloxane [and] Dimethicone/Vinyl Dimethicone Crosspolymer	250,000 - 500,000	≈ 13
SPI - 6120	Dimethicone [and] Dimethicone/Vinyl Dimethicone Crosspolymer	80,000 - 200,000	≈ 25
SPI - 6170G	Dimethicone [and] Dimethicone/Vinyl Dimethicone Crosspolymer	80,000 - 400,000	≈ 61
SPI - 6211	Isododecane [and] Polysilicone-11	275,000 - 700,000	≈ 6
SPI - 6212	Dimethicone [and] Polysilicone-11	300,000 - 500,000	≈ 20
SPI - 6348	Isododecane [and] Dimethicone/Vinyl Dimethicone Crosspolymer	275,000 - 700,000	≈ 6
SPI - 6520	Dimethicone/Vinyl Dimethicone Crosspolymer	Powder	≈ 99
SPI - 6530	Vinyl Dimethicone/Methicone Silsesquioxane Crosspolymer	Powder	≈ 99
SPI - 6555	Dimethicone [and] Dimethicone/Vinyl Dimethicone Crosspolymer	100,000 - 900,000	≈ 5
SPI - 6575	Methyl Trimethicone [and] Dimethicone/Vinyl Dimethicone Crosspolymer	30,000 - 200,000	≈ 10
SPI - 7095	Dimethicone [and] PEG-15/Lauryl Dimethicone Crosspolymer	50,000 - 300,000	≈ 30
SPI - 8352	Dimethicone [and] Cyclopentasiloxane [and] Dimethicone Crosspolymer	800,000 - 2,000,000	≈ 10